



**Nature Welfare Council**  
Reg. No.:- U88900DL2025NPL445651  
Reg. Under- Ministry of Corporate Affairs (MCA)  
File No. 1596796/11257/NWC/2026

Office No.-125,126 Ansal  
Chamber-2, Bhikaji Cama  
Place, New Delhi-110066  
Date – 11/05/2026

**NOTICE INVITING TENDER FOR IRON TREE GUARD**

TENDER NO. : **NWC/26/NWLB003/2026/TG**

**This tender is issued on a limited basis and is published on the NWC e-tender portal for information only. Unsolicited bids will not be accepted.**

**Vendors interested in participating in FUTURE TENDERS may visit [www.efccpt.org](http://www.efccpt.org) for registration and pre-qualification details.**

**Online bid Submission**

**All bids must be submitted online only:**

<https://efccpt.org/>

**KINDLY NOTE THAT ONLY ONLINE BID WILL BE CONSIDERED**

**Contact Details:**

**Helpline No.: +91 9220553172**  
**(Monday to Friday - 10 AM to 6 PM)**

**Email: [support@efccpt.org](mailto:support@efccpt.org)**

# **TENDER SCHEDULE**

## **1. Tender Details**

**Tender Reference No.:** NWC/NLWB0003/2026/TG

**Date of Issue:** 05 June 2026

**Opening of Tender:** To be notified

**Last Date for Submission:** 15 July 2026 (upto 5PM)

**Tender Finalization & Commencement of Supply:** August 2026

**Contract Duration (Post Award):** 8 Months

## **2. Scope of Work:**

“Supply and delivery of 2,500 Iron Tree Guards as per prescribed specifications, ensuring quality and timely delivery”

## **3. Price quotation & payment terms:**

- **Unit Rate Range (Excluding GST): ₹1050 to ₹1650**
- **GST:** Applicable extra as per prevailing rates
- **Freight/transportation: Excluded from quoted price cost**
- **Payment Terms:** Within 30-45 days post-inspection and acceptance of materials.

## **4. Technical Specifications:**

<b>Particular</b>	<b>Specification</b>
Product Name	Iron Tree Guard with Stand
HSN Code	73269099
Height	5 Feet
Diameter	18 Inches
Mesh Size	4 Inches
Approx. Weight	5 Kg ( $\pm$ 0.2 Kg)
Support Structure	3 Iron Rod Legs for proper ground support
Material	Iron
Finish	Powder Coated / Painted
Color	Green Only
Usage	Plantation Purpose Only
Quantity Required	2,500 Nos.

## **5. Material & Construction Requirements**

1. Tree guard shall be manufactured using high-quality iron material with adequate strength and durability.
2. Structure must be stable and capable of withstanding outdoor environmental conditions.
3. All joints and welds shall be properly finished and free from sharp edges.
4. The green coating/paint must be uniform and resistant to corrosion and weather conditions.
5. Tree guard shall be supplied complete with 3 iron support legs fixed properly for installation.

## **6. Quality Requirements**

The supplied material must:

- Be free from dust, rust, moisture, cracks, and physical damage.
- Have proper hardness and crushing strength suitable for plantation use.
- Match approved sample specifications.

## **7. Mandatory Documents to be Submitted by Supplier**

The supplier must submit the following documents along with supply/sample:

- A. Iron Strength Certificate
- B. Sample for Inspection & Approval
- C. Crushing Strength Test Report
- D. Hardness Test Report

## **8. Inspection & Approval**

- Material will be inspected by the authorized committee before acceptance.
- Any material not matching specifications may be rejected.

**Issued By,**

**Central Procurement Department  
Nature Welfare Council**